L Number	Hits	Search Text	DB	Time stamp
1	10081	tlb or (translation adj2 (buffer or table))	USPAT; US-PGPUB; EPO; JPO;	2004/02/05 07:14
2	938	atb or dlat	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:14
3	3036	(lookaside or look-aside) adj (table or buffer)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/05 07:14
4	785	updat\$3 near broadcast\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:15
5	19916	(physical or real) near address\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:15
6	376042	pa or ra	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/05 07:15
7	11191	(tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:15
8	14	<pre>(updat\$3 near broadcast\$3) same ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:17
9	45	coherency near5 ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:17
10	1549	updat\$3 with (((physical or real) near address\$3) or (pa or ra))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:32
11	4990	<pre>(invalidat\$3 or purg\$3 or remov\$3) with (((physical or real) near address\$3) or (pa or ra))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:32
12	207	<pre>(updat\$3 with (((physical or real) near address\$3) or (pa or ra))) same ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:18
13	4	look-aside) adj (table or buffer))) (coherency near5 ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) and ((updat\$3 with (((physical or real) near address\$3) or (pa or ra))) same ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer))))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 07:21

14	1	<pre>(updat\$3 near broadcast\$3) with (((physical or real) near address\$3) or (pa or ra))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:21
			IBM TDB	
15	6	snoop\$3 same (updat\$3 near broadcast\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05 07:25
16	9	("3533075" "3854126" "4277826" "4279014" "5659798" "5701486" "5765022" "5987582" "6347364").PN.	IBM_TDB USPAT	2004/02/05 07:22
17	390	snoop\$3 same invalidat\$3 same updat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:27
18	22	<pre>((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer))) same (snoop\$3 same invalidat\$3 same updat\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:32
19	700	(invalidat\$3 or purg\$3 or remov\$3) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:49
20	906	updat\$3 with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:32
21	64	<pre>((invalidat\$3 or purg\$3 or remov\$3) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) same (snoop\$3 or broadcast\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:33
22	50	<pre>(updat\$3 with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) same (snoop\$3 or broadcast\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:33
23	581	(((physical or real) near address\$3) or (pa or ra)) with (snoop\$3 or broadcast\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:33
26	18	(pte or (page adj table adj entry)) with (snoop\$3 or broadcast\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:34
24	5	<pre>(((invalidat\$3 or purg\$3 or remov\$3) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) same (snoop\$3 or broadcast\$3)) and ((((physical or real) near address\$3) or (pa or ra)) with (snoop\$3 or broadcast\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 07:34
25	10	((updat\$3 with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer))) same (snoop\$3 or broadcast\$3)) and (((physical or real) near address\$3) or (pa or ra)) with (snoop\$3 or broadcast\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 07:37

				
27	8	<pre>(((invalidat\$3 or purg\$3 or remov\$3) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer))))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/05
28	6	<pre>same (snoop\$3 or broadcast\$3)) and ((pte or (page adj table adj entry)) with (snoop\$3 or broadcast\$3)) ((updat\$3 with ((tlb or (translation adj2)))</pre>	IBM_TDB USPAT;	2004/02/05
		(buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) same (snoop\$3 or broadcast\$3)) and ((pte or (page adj table adj entry)) with (snoop\$3 or broadcast\$3))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	07:44
29	113	<pre>synchroniz\$5 with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:46
30	24	<pre>(updat\$3 with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) same full</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:48
31	1287	<pre>(miss\$3 or mis-hit) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:49
32	249	<pre>(invalidat\$3 or purg\$3 or remov\$3 or evict\$3 or flush\$3) same ((miss\$3 or mis-hit) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer))))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 07:49
33	4	<pre>(synchroniz\$5 with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) and ((invalidat\$3 or purg\$3 or remov\$3 or evict\$3 or flush\$3) same ((miss\$3 or mis-hit) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 07:50
34	5	look-aside) adj (table or buffer))))) (coherency near5 ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) and ((invalidat\$3 or purg\$3 or remov\$3 or evict\$3 or flush\$3) same ((miss\$3 or mis-hit) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 07:51
35	1470	<pre>(updat\$3 or add or adding or added or entered) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/05 07:52
36	264	((updat\$3 or add or adding or added or entered) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))) same ((miss\$3 or mis-hit) with ((tlb or (translation adj2 (buffer or table))) or (atb or dlat) or ((lookaside or look-aside) adj (table or buffer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 07:52

37	54 ((invalidat\$3 or purg\$3 or remov\$3 or	USPAT;	2004/02/05
	evict\$3 or flush\$3) same ((miss\$3 or	US-PGPUB;	07:52
	mis-hit) with ((tlb or (translation adj2	EPO; JPO;	
	(buffer or table))) or (atb or dlat) or	DERWENT;	
	((lookaside or look-aside) adj (table or	IBM_TDB	
	buffer))))) and (((updat\$3 or add or		
	adding or added or entered) with ((tlb or		
	(translation adj2 (buffer or table))) or		
	(atb or dlat) or ((lookaside or		
	look-aside) adj (table or buffer)))) same		
	((miss\$3 or mis-hit) with ((tlb or		
	(translation adj2 (buffer or table))) or		
	(atb or dlat) or ((lookaside or		
	look-aside) adj (table or buffer)))))		